Clinical and Experimental Dermatology 1993; 18: 569–583.

Index

Subjects

Achenbach's syndrome, 60
Acne
  chloracne
    outbreak and new clinical observations, 523
  electron microscopy, 192
  inhaled corticosteroids and, 148
  smoking and, 100
  topical erythromycin-zinc
    effect on sebum delivery, 410
Acneiform rash
  herpes zoster and, 92
Acquired immunodeficiency syndrome
  see AIDS
Actinic comedonal plaque, 257
Acute febrile neutrophilic dermatosis
  erythema nodosum, sarcoidosis and, 47
Adhesion molecules
  ICAM-1 serum levels in psoriasis
    antithyroid thioureylenes and, 526
Adverse drug reactions
  argyria
    acupuncture and, 192
    selenium in, 187
  captopril
    subepidermal bullous eruption and, 196
  carbamazepine-induced anticonvulsant hypersensitivity, 540
  chloracne
    outbreak and new clinical observations, 523
  cyclosporin A and cutaneous malignancy, 30
  doxycycline phototoxicity, 425
  etoposide and cyclophosphamide and ultraviolet recall, 452
  etretinate and sticky palms, 389
  griseofulvin-associated Kawasaki-like syndrome, 389
  heparin skin necrosis, 138
  hydroquinone depigmenting creams and photochromonychia, 87
  hydroxyethyl starch
    skin deposits, 187
  inhaled corticosteroids and acne, 148
  isotretinoin and pseudoporphyria, 69
  intravenous phosphate therapy and calcinosis, 370
  lignocaine
    contact sensitivity, 342
  mebhydrolin exacerbation of psoriasis, 131
  piroxicam photosensitivity and vesicular hand dermatitis, 52
  PUVA phototoxicity, 292
AIDS
  bacillary epithelioid angiomatosis and, 133
Acrokeratosis paraneoplastica
  bladder carcinoma and, 445
Albinism
  ultrastructural DOPA reaction, 183
Alopecia areata
  twenty nail dystrophy, lichen planus and, 293
Alopecia universalis and hairy congenital naevocellular naevus, 162
Alpha-1 antitrypsin deficiency
  systemic nodular panniculitis and, 154
Amyloidosis
  localized cutaneous
    ultrastructure, 192
  perforating cutaneous, 186
  secondary localized in Bowen's disease, 286
Anaesthetics
  local
    discomfort reduction, 291
    lignocaine: contact sensitivity, 342
Angioendotheliomatosis
  Castleman's lymphoma, POEMS syndrome and, 360
Angiosarcoma
  in congenital hereditary lymphoedema (Milroy's disease), 174
Annular erythema
  Sjögren's syndrome and, 50
Anogenital warts in children, 241
Anticardiolipin antibodies
  livedo reticularis and systemic lupus erythematosus, 159
Anticonvulsant hypersensitivity syndrome with carbamazepine, 540
Aplasia cutis congenita
  ultrastructure of blisters, 181
Aquagenic pruritus and juvenile xanthogranuloma, 253
Argyria
  acupuncture and, 192
  selenium deposition in, 187
Ataxia telangiectasia
  cutaneous granuloma and, 458
Atopic dermatitis
  messengers and cytokines (Review), 201
Atopic eczema
  antibodies to inhalant and dietary antigens, 211
  in a multiracial country (Malaysia), 496
  skin microflora in, 300
Atypical mole syndrome, 5
Audit, 17

Bacillary epithelioid angiomatosis
  AIDS and, 133
Basement membrane zone antigens
  ultrastructural localization, 178
Bazex's syndrome
  bladder carcinoma and, 445
Bifonazole therapy for pityriasis versicolor, 25
Bjornstad's syndrome, 94
B-K mole syndrome, 6
Black hairy tongue
  oral retinoid therapy for, 291
Black heel
  atypical melanocytic hyperplasia, 437
Bone marrow transplantation
  allogeneic, and cutaneous dendritic cells, 182
Bowen's disease
  amyloidosis (secondary localized) in, 288
  sweat duct differentiation in, 185
Bullous eruption
  subepidermal, and captopril, 196
  see also bullous pemphigoid, epidermolysis bullosa
Bullous pemphigoid
  bullous pemphigoid-like scabies, 293
  infantile, immunoblotting in, 483
  lichen planus pemphigoides in a child, 552
  plasminogen and plasminogen activators in, 119

Calcinosis
  intravenous phosphate therapy and, 370
Calcipotriol
  under occlusion for psoriasis vulgaris, 504
Captopril
  subepidermal bullous eruption and, 196
Carbamazepine-induced anticonvulsant hypersensitivity syndrome, 540
Carcinoembryonic antigen
  distribution 184
Carcinoma
  adenosquamous
    ultrastructure, 194
  follicular mucinosis and renal carcinoma, 391
  giant mucinous sweat gland, of scalp, 375
  lymphoepithelioma-like, 83
  metastatic thyroid follicular, 185
  psoriasis and prevalence of, 401
  sebaceous, 189, 190
Castleman's lymphoma
  angioendotheliomatosis, POEMS syndrome and, 360
Chloracne
  outbreak and new clinical observations, 523
Ciclopiroxalamine for pitted keratolysis, 181
Colchicine
  effects on ornithine decarboxylase, 314

Cold urticaria
familial, 339
Colloid milium
paraproteinaemia and, 192
UV-induced, 347
Connective tissue naevus, 186
Copper ion and acid solution (Solcoderm)
treatment for epidermal cysts, 500
Corticosteroid
topical, epidermal atrophy and essential fatty acids, 326
inhaled corticosteroids and acne, 148
Crohn's disease
metastatic cutaneous, 55
Cryotherapy to lip haemangiomas
Streptococcal infection and, 537
Cutaneous malignancy
cyclosporin A and, 32
Cyclic neutropenia
recurrent impetiginized eczema and, 80
Cyclosporin A
cutaneous malignancy and, 30
epidermolysis bullosa acquisita and, 548
improving the risk: benefit ratio, 486
Cysts
epidermal
treatment with Solcoderm (copper ion and acid), 500
milia cysts
along the nasal groove, 289

Degos disease
see malignant atrophic papulosis
Dermal melanocytosis, 72
Dermatitis
vesicular hand dermatitis in piroxicam photosensitivity, 52
National Eczema Society, member expectations, 516
Dermatitis, atopic
messengers and cytokines (Review), 201
in a multiracial country (Malaysia), 496
Dermatitis herpetiformis
absent skin reactivity with glutenin and gliadin antisera, 197
gamma/delta T-cell receptor expression in, 318
primary sclerosing cholangitis and, 363
Dermatitis medicamentosa
see adverse drug reactions
Dermatology
the hidden face of, 393
Dermatomycoses
Langerhans cells and, 329
Dermatophytosis
Trichophyton mentagrophytes adherence to corneocytes, 231
Doxycycline phototoxicity, 425
Down's syndrome
syringomas and, 333
Drug reactions
see adverse drug reactions
Dithranol
psoriasis plaque thickness and water loss and, 21
Dysplastic naevus syndrome, 5, 249
histological features, 6
naevi and melanomas in, 249

Eccrine sweat duct
histogenesis, 184
Eczema
atopic
antibodies to inhalant and dietary antigens, 211
bedding and, 291
in a multiracial country (Malaysia), 496
messengers and cytokines (Review), 201
National Eczema Society, member expectations, 516
skin microflora in, 300
recurrent impetiginized, and cyclic neutropenia, 80
Elastolysis
mid-dermal, ultrastructural features, 181
Electron microscopy research, 178–195
Endothelial cell differentiation *in vitro* 237
Epidemiology, 393
Epidermal cysts
Solcoderm (copper ion and acid solution) treatment for, 500
Epidermal naevi
keratinocytes in, 186
laser therapy and, 124
Epidermis
basal cell antigens in dermatoses, 190
intercorneocyte lipid layer ultrastructure, 181
intracellular antigen detection, 193
Epidermodysplasia verruciformis,
malignant thymoma and, 89
Epidermolysis bullosa acquisita
immunoultrastructure, 190
respiratory obstruction requiring tracheostomy, 548
response to cyclosporin, 548
systemic lupus erythematosus, and, 378
Epidermolysis bullosa: herpetiformis
mottled pigmentation and keratoderma, ultrastructure, 179
Epidermolysis bullosa: junctional
defective hemidesmosomes and enamel defects, 179
Epidermolysis bullosa: simplex
Dowling–Meara, immunofluorescence and ultrastructure, 179, 191
keratin intermediate filament kinetics, 179
Epidermolysis bullosa: transient
congenital, 180
toxic epidermal necrolysis and, 193
Epidermolytic hyperkeratosis
filaggrin and keratin interaction, 182
Erythema multiforme
infectious mononucleosis and, 373
Erythema nodosum
acute febrile neutrophilic dermatosis, sarcoidosis and, 47
Erythromelanosis follicularis faciei et colli
familial, 283

Essential fatty acids
steroid-induced epidermal atrophy and, 326
Etretinate
for childhood pustular psoriasis, 97
sticky palms and, 389

Fabry's disease
ultrastructure, 187
Facal ulceration
fatal, 356
Factory visiting, 208
FAMM syndrome, 6
Favre–Racouchot syndrome, 256
Fibrinolytic system
blisters induced *in vitro*, 188
Fibroblasts
actin pool of, 193
Flamazine for herpes zoster, 196
Fluconazole levels in skin, 102
Follicular mucinosis and renal carcinoma, 391

Gamma/delta T-cell receptor expression
in dermatitis herpetiformis and coeliac disease, 318
Glomangiomas
ultrastructure, 195
Graft versus host disease
cutaneous dendritic cells in, 182
Granulomatous eruptions
leukaemia, myelodysplasia and, 559
Griseofulvin
Kawasaki-like syndrome and, 389

Haemangioendothelioma
malignant, interleukin 2 therapy for, 470
Haemangiomas of the lip
Streptococcal infection after cryotherapy, 537
Haematomas
finger haematomas in Achenbach's syndrome, 60
Hand dermatitis
vesicular in piroxicam photosensitivity, 52
Heparin skin necrosis, 138
Herpes zoster
acneiform rash and, 92
Herpesvirus 6 infected B-cell line; ultrastructure, 186
Hidradenoma papilliferum, 190
Histiocytosis
benign cephalic histiocytosis, 280
histiocytosis X, 180
multicentric reticulohistiocytosis
cardiac and systemic lesions, 555
Hydrophilic resin in dermatological research, 178
Hypersensitivity syndrome to the anticonvulsant carbamazepine, 540
Hydroquinone depigmenting creams
photochromonychia and, 87

Hydroxyethyl starch
skin deposits, 187
Hyperkeratoses
multiple minute digitate, 261

ICAM-1 serum levels in psoriasis
antithyroid thioureylenes and, 526
Ichthyosis
acquired, with pyoderma gangrenosum and SLE, 268
harlequin, 180
KID syndrome, 386
recessive congenita type III, ultrastructure, 182
Imidazole therapy for pityriasis versicolor, 25
Immunoelectron microscopy
colour image analyser and, 178
glycol methacrylate embedding for, 179
Immunoglobulin secretion, 191
Immunohistochemistry
cutaneous B-cell lymphoma, 530
Infectious mononucleosis
erythema multiforme and, 373
Isotretinoin and pseudoporphyria, 69
Itraconazole
for phaeohyphomycosis, 156
for tinea corporis and cruris, 322

Jessner's lymphocytic infiltration
familial, 142

Kaposi sarcoma
pseudo-Kaposi sarcoma and Klippel–Trenaunay–Weber syndrome, 151
Kawasaki-like syndrome
griseofulvin-associated, 389
Keloid scarring after scabies, 198
Keratinocytes
fibroblast influence *in vitro*, 189
ultrastructure *in vitro*, 188
Keratoderma
in lichen nitidus, 381
Keratoses
multiple minute digitate, 261
Keratosis lichenoides striata
porokeratosis, amyloidosis and, 274
KID syndrome, 386
Klippel–Trenaunay–Weber syndrome and pseudo-Kaposi sarcoma, 151
Keratohyalin-like proteins in human epithelia, 182
Keratosis pilaris decalvans, 45

Langerhans cells
BLCa antigen and, 193
in tinea pedis and pityriasis versicolor, 329
ultraviolet-B radiation and MHC class II antigen, 183
Langerhans cell histiocytosis, 180
thalidomide treatment for, 487
Laser therapy
verrucous epidermal naevi and, 124
Leg ulcers
autograft therapy, 417
pyoderma gangrenosum and chronic venous leg ulceration, 545
Leiomyosarcoma, 185
Leishmaniasis, 36
Lentigo
penile, melanosomal distribution in, 183
Leprosy
pathology and bacillation, 184
Leukaemia
acute monocytic, 180
acute myeloid, granulomatous eruptions and, 559
chronic lymphatic and plane xanthomatosis, 259
chronic lymphocytic with centroblastic transformation, 263
Lichen nitidus
keratoderma and nail dystrophy, 381
Lichen planus
erosive flexural, 169
liver function and, 12, 296
chronic liver disease and, 12
linear, lichen striatus and, 335
morphogenesis of saw-like acanthosis, 186
twenty nail dystrophy, alopecia areata and, 293
Lichen planus pemphigoides in a child, 552
Lichen striatus
linear lichen planus and, 335
Lognocaine
contact sensitivity, 342
Lipids
skin surface, microbial dermatoses and, 405
Lipoatrophy
unilateral localized idiopathic, 468
Lipodermatosclerosis, 164
Lipoid proteinosis
ultrastructure, 194
Liposomes
gold-containing, 187
Livedo reticularis
systemic lupus erythematosus and anticardiolipin antibodies, 159
Lupus erythematosus
chilblain
pregnancy-induced, 449
neonatal with persistent telangiectasia and paraperesis, 271
see also systemic lupus erythematosus
Lupus pernio following facial trauma, 476
Lyme disease
atypical lesions, 434
Lymphoedema
angiosarcoma in congenital hereditary (Milroy's disease), 174
Lymphoma
cutaneous B-cell, 530
mycosis fungoides-like pleomorphic T cell, 180
T cell, with eruptive cephalic xanthoma, 189

Malakoplakia, 186
Malaysia
atopic eczema in, 496
Malignancy
psoriasis and, 41
Malignant atrophic papulosis
altered fibrinolysis and platelet function, 441
spastic paraplegia and, 344
Mebhydrolin
exacerbation of psoriasis and, 131
Medical audit, 17
Melanocytosis
dermal, 72
Melanoma
malignant
acral, 107
differentiation from Spitz naevus, 421
incidence, 3, 5
iris freckles and, 5, 6
dysplastic naevus syndrome, 5, 249
generalized melanosis and, 454
prognosis, 3, 107
public education and, 396
retinoblastoma and, 5
review article, 2
risk evaluation, 5
survival rate in acral melanoma, 107
Melanosis
generalized, and malignant melanoma, 454
Membrane coating granules in atopic skin, 189
Merkel cells
dermatoses and, 185
tachykinin in, 185
Metastatic cutaneous Crohn's disease, 55
Metastatic thyroid follicular carcinoma, 185
Milia cysts
along the nasal groove, 289
Milroy's disease
angiosarcoma in, 174
Molluscum contagiosum: viral ultrastructure, 184
Mongolian spot
adult onset, 72
Monoclonal antibody
HMB-45 binding sites
ultrastructural localization, 183
7C1 and epidermal staining, 193
Mycology
fluconazole levels in skin, 102
griseofulvin
Kawasaki-like syndrome and, 389
imidazole therapy for pityriasis versicolor, 25
itroconazole for phaeohyphomycosis, 156
itroconazole for tinea corporis and cruris, 322
Langerhans cells and, 329
Trichophyton mentagrophytes adherence to corneocytes, 231
tinea corporis and cruris
itraconazole therapy, 322
tinea nigra palmaris, 481

Mycosis fungoides
mycosis fungoides-like pleomorphic T-cell lymphoma, 180
Myelodysplasia
granulomatous eruptions and, 559
Myofibroblasts in dermal equivalents, 188

Naevus
connective tissue, 186
epidermal and laser therapy, 124
dysplastic, 5
hairy congenital naevocellular, and alopecia universalis, 162
naevi in dysplastic naevus syndrome, 249
Nail dystrophy
late onset, in pachyonychia congenita, 478
lichen nitidus and, 381
National Eczema Society
member expectations, 516
Necrobiosis lipoidica
atypical site involvement, 543
pentoxifylline therapy for ulcerating variant, 78
ulcerating, 78, 366
Necrolytic migratory erythema
suprabasal acantholysis and, 464
Necrotizing cellulitus
protein S deficiency and, 305
Nekam's disease
porokeratosis, amyloidosis and, 274
Nerve stimulation
transcutaneous electronic nerve stimulation and pruritus, 67
Neutropenia
cyclic, and recurrent impetiginized eczema, 80
Neutrophilic dermatosis
erythema nodosum, sarcoidosis and, 47
Noonan's syndrome, 189

Occlusion
calcipotriol under occlusion for psoriasis vulgaris, 504
Ornithine decarboxylase
colchicine effects on, 314
Oxypentifylline
for ulcerating necrobiosis lipoidica, 78

Pachydermodactyly
localized in tuberous sclerosis, 146
Pachyonychia congenita
late onset nail dystrophy, 478
Paget's cells
in vitro characteristics, 189
Painful bruising syndrome
Achenbach's syndrome and, 60
Panniculitis: systemic nodular and alpha-1 antitrypsin deficiency, 154
Peeling skin syndrome, 190
Pemphigoid
atypical, 181
eosinophil ultrastructure, 194
lichen planus pemphigoides in a child, 552
plasminogen and plasminogen activators in, 119
Pemphigus
IgG subclasses, 227
Pentoxifylline for ulcerating necrobiosis lipoidica, 78
Phaeohyphomycosis, 156
Photochemotherapy
see PUVA
Photochromonychia
hydroquinone depigmenting creams and, 87
Photosensitivity
piroxicam and vesicular hand dermatitis, 52
Phototoxicity
doxycycline and, 425
photochemotherapy and, 292
Pili torti
congenital deafness and (Bjornstad's syndrome), 94
Pimozide for trigeminal neurotrophic ulceration, 171
Piroxicam
photosensitivity and, 52
Pitted keratolysis
ciclopiroxalamine and, 181
Pityriasis versicolor
bifonazole therapy, 25
Langerhans cells and, 329
Plane xanthomas and chronic lymphatic leukaemia, 259
Plasmactyoma: cutaneous extramedullary, 351
Plasminogen and plasminogen activators
bullous pemphigoid and, 119
Platelet activating factor
cutaneous inflammation and, 489
POEMS syndrome
Castleman's lymphoma, angioendotheliomatosis and, 360
Porokeratosis
cornoid lamella morphogenesis, 182
Nekam's disease, amyloidosis and, 274
Porphyria
fluorometric scanning of plasma porphyrins in diagnosis of, 128
porphyria cutanea tarda and peptic ulcer, 32
Protein S deficiency, 305
Pruritus
aquagenic and juvenile xanthogranuloma, 253
generalized, transcutaneous electronic nerve stimulation and, 67
Pseudo-Kaposi sarcoma
Klippel–Trenaunay–Weber syndrome and, 151
Pseudoporphyria
isotretinoin and, 69
Psoriasis
accelerated PUVA, 297
calcipotriol under occlusion for psoriasis vulgaris, 504
cancer prevalence and, 401
erythrodermic, and symptomatic hypophosphataemia, 167
exacerbation by mebhydrolin, 131
ICAM-1 serum levels, antithyroid thioureylenes and, 526
plaque thickness and water loss, 21
psoriasis disability index, 415
pustular in childhood, 97
Purpura
cold with Waldenström's macroglobulinaemia and cold urticaria, 277
purpura pigmentosa, 191
PUVA
accelerated for psoriasis, 297
phototoxicity and, 292
psoriasis plaque thickness, water loss and, 21
Pyoderma gangrenosum
acquired ichthyosis, SLE and, 268
chronic venous leg ulceration and, 545

Quality of life
cyclosporin A
improving the risk: benefit ratio, 486
National Eczema Society
member expectations, 516
psoriasis disability index, 415

Reticulohistiocytosis
congenital self-healing, 181
multicentric
cardiac and systemic complications, 555
Retinoids
etretinate for childhood pustular psoriasis, 97
etretinate and sticky palms, 389
isotretinoin and pseudoporphyria, 69
oral therapy for black hairy tongue, 291
Review article
Atopic dermatitis—messengers, second messengers and cytokines, 201
Familial melanoma, 5
Performing a factory visit, 208
Platelet activating factor—a mediator of inflammation in the skin—medical implications, 489
The hidden face of dermatology, 393
The march of melanoma, 1
Rheumatoid arthritis
anti-stratum corneum antibodies, 188

St John's Oration
The march of melanoma, 1
Sarcoidosis
acute febrile neutrophilic dermatosis, erythema nodosum and, 47
lupus pernio following facial trauma, 476
subcutaneous, 65
Scabies
bullous pemphigoid-like, 293
keloid scarring, 198
Scurvy, 75
Sjögren's syndrome
urticated annular erythema and, 50

Skin inflammation
platelet activating factor and, 489
Solcoderm
treatment for epidermal cysts, 500
Spitz naevus
differentiation from melanoma, 421
Sticky palms
etretinate and, 389
Streptococcal infection
cryotherapy to lip haemangiomas and, 537
Sweat glands
actin filaments in, 192
giant primary mucinous carcinoma, 375
glycoconjugates in, 194
Sweet's syndrome
erythema nodosum, sarcoidosis and, 47
Syndrome
Achenbach's syndrome, 60
acquired immunodeficiency syndrome, 133
anticonvulsant hypersensitivity syndrome, 540
atypical mole syndrome, 5
Bazex's syndrome
bladder carcinoma and, 445
Bjornstad's syndrome, 94
B-K mole syndrome, 6
Down's syndrome
syringomas and, 333
Dysplastic naevus syndrome, 5, 249
FAMM syndrome, 6
Favre–Racouchot syndrome, 256
Kawasaki-like syndrome, griseofulvin and, 389
KID syndrome, 386
Klippel–Trenaunay–Weber syndrome, 151
Noonan's syndrome, 189
Painful bruising syndrome, 60
Peeling skin syndrome, 190
POEMS syndrome, 360
Sjögren's syndrome, annular urticated erythema and, 50
Sweet's syndrome
erythema nodosum, sarcoidosis and, 47
yellow nail syndrome and zinc supplementation, 62
Syringomas
clear cell
confocal laser scanning morphometry, 184
Down's syndrome and, 333
genital (localized penile), 384
Systemic lupus erythematosus
epidermolysis bullosa acquisita and, 378
anticardiolipin antibodies, livedo reticularis and, 159
pulmonary hypertension in, nifedipine therapy for, 486
pyoderma gangrenosum, acquired ichthyosis and, 268

Tachykinin
in Merkel cells, 185
Tar ointment
effect on MED for UVB, 390
Therapy
black hairy tongue and oral retinoid therapy, 291
cyclosporin A
improving the risk: benefit ratio, 486
cryotherapy to lip haemangiomas
Streptococcal infection and, 537
epidermal cysts and Solcoderm (copper ion and acid solution), 500
epidermolysis bullosa acquisita
response to cyclosporin, 548
herpes zoster and flamazine, 196
Langerhans cell histiocytosis and thalidomide, 487
legs ulcers and autografts, 417
malignant haemangioendothelioma and interleukin 2 therapy, 470
phaeohyphomycosis and itraconazole, 156
pitted keratolysis and ciclopiroxalamine, 181
pityriasis versicolor and bifonazole, 25
pruritus and transcutaneous electronic nerve stimulation, 67
psoriasis vulgaris and calcipotriol under occlusion, 504
pustular psoriasis in childhood and etretinate, 97
SLE-associated pulmonary hypertension and nifedipine, 486
tinea corporis and cruris and itraconazole, 322
trigeminal neurotrophic ulceration and pimozide, 171
ulcerating necrobiosis lipoidica and pentoxifylline, 78
verrucous epidermal naevi and lasers, 124
yellow nail syndrome and zinc supplementation, 62
Thyroid follicular carcinoma
metastatic, 185
Tinea corporis and cruris
itraconazole therapy, 322
Tinea nigra palmaris, 481
Tinea pedis
Langerhans cells and, 329
Toxicity testing
in vivo and *in vitro* methods compared, 428
Trigeminal neurotrophic ulceration
pimozide therapy, 171
Tuberculin reaction
cellular histoanalysis, 111
Tuberculosis
as seen at Ga-Rankuwa hospital, 507
immunohistopathology, 309
Tuberous sclerosis
localized pachydermodactyly in, 146
Twenty nail dystrophy
lichen planus, alopecia areata and, 293

Ulceration
autograft therapy for leg ulcers, 417
fatal facial ulceration, 356
necrobiosis lipoidica and, 78, 366
pyoderma gangrenosum and chronic venous leg ulceration, 545
trigeminal neurotrophic ulceration and pimozide, 171
Ultrastructure research, 178–195
Ultraviolet
ultraviolet-B radiation and MHC class II antigen, 183
ultraviolet recall
etoposide, cycylophosphamide and, 452
Urticaria
cold urticaria, familial, 339
cold urticaria, Waldenström's macroglobulinaemia and purpura, 277
urticated annular erythema and Sjögren's syndrome, 50

Verrucous epidermal naevi
laser therapy and, 124
Viral infection
anogenital warts in children, 241
flamazine for herpes zoster, 196
Herpes zoster: acneiform rash and, 92
herpesvirus 6 infected B-cell line; ultrastructure, 186
molluscum contagiosum
viral ultrastructure, 184

Waldenström's macroglobulinaemia
cold urticaria and purpura, 277
Wound healing
sonographic monitoring, 217
Wounding
thermal, electrical and chemical in pig skin, 188

Xanthelasma
regressive, ultrastructure and apo B distribution in, 183
Xanthogranuloma
juvenile and aquagenic pruritus, 253
multiple in an adult, 462
Xanthoma
eruptive cephalic in T-cell lymphoma, 189
Xanthomatosis
plane, chronic lymphatic leukaemia and, 259

Yellow nail syndrome
zinc supplementation and, 62

Zinc supplementation
yellow nail syndrome and, 62

Authors

Aalund, O. *see* Karlsmark, T.
Abanmi, A. *see* Joshi, R.K.
Abe, M., Furue, M., Nakagawa, H. and Ishibashi, Y. Immunohistochemical and ultrastructural characterization of genital Paget's cells in culture (Abstract), 189
Abraham, S.M. *see* Carmichael, A.J.
Adjarov, D., Doncheva, N. and Naydenova, E. Porphyria cutanea tarda and peptic ulcer, 32
Aguilar, A. *see* Del-Río, E.
Aihara, M. *see* Nagatani, T.
Akiyama, M., Shimizu, H., Sugiura, M., Suzumori, K. and Nishikawa, T. Ultrastructural DOPA reaction in albinism (Abstract), 183
Al Asiri, R.H. *see* Joshi, R.K.
Al-Abadie, M. *see* Kent, G.
Aldigier, J.C. *see* Roger, D.
Aldridge, R.D. *see* Herd, R.M.
Aljabre, S.H.M., Richardson, M.D., Scott, E.M., Rashid, A. and Shankland, G.S. Adherence of arthroconidia and germlings of arthropophilic and zoophilic varieties of *Trichophyton mentagrophytes* to human corneocytes as an early event in the pathogenesis of dermatophytosis, 231
Allan, S. *see* Barnes, R.M.R.
Allegra, F. *see* Benoldi, D.
Altmeyer, P. *see* Bacharach-Buhles, M.
Altmeyer, P. *see* Hoffmann, K.
Ambrojo, P. *see* Del-Río, E.
Ando, I. *see* Hino, H.
André, C. *see* Prost, C.
Ansai, S., Goto, K., Aoki, T., Hozumi, Y. and Aso, K. A case of malignant haemangioendothelioma treated with recombinant interleukin-2, 470
Anstey, A. *see* Riordan, C.A.
Antoniou Ch. *see* Katsambas, A.
Anton-Lamprecht, I. *see* Arnold, M.-L.
Anton-Lamprecht, I. *see* Günzel, S.
Anton-Lamprecht, I. and Schmidt, W. Defective hemidesmosomes in tooth buds of Herlitz fetuses as a possible cause for enamel defects in junctional epidermolysis bullosa (Abstract), 179
Aoki, N. *see* Ito, K.
Aoki, T. *see* Ansai, S.
Arata, J. *see* Tada, J.
Archer, C.B. *see* Kavanagh, G.M.
Archer, C.B. Platelet activating factor—a mediator of inflammation in the skin—medical implications, 489
Armstrong, A.L., Finch, R.G. and Bailie, F.B. Serious group A streptococcal infections complicating cryotherapy to lip haemangiomas, 537
Armstrong, J. *see* Oliwiecki, S.
Arnold, M.-L. and Anton-Lamprecht, I. Multiple eruptive cephalic xanthoma in a case of T-cell lymphoma (Abstract), 189
Arregui, M.A., Raton, J.A., Landa, N., Izu, R., Eizaquirre, X. and Diaz-Perez, J.L. Bazex's syndrome (acrokeratosis paraneoplastica)—first case report of association with a bladder carcinoma, 445
Arroyo, J.F. and Cohen, M.L. Improvement of yellow nail syndrome with oral zinc supplementation, 62
Asahina, A. *see* Hino, H.
Aso, K. *see* Ansai, S.
Auger, F. *see* Lopez Valle, C.A.
Auxtova, S. *see* Péc, J.

Baart De La Faille, H. *see* Toonstra, J.
Baba, N. *see* Nagatani, T.
Baba, S. *see* Iwasawa, U.
Baba, S. *see* Sato, R.
Bacharach-Buhles, M., Schultz-Ehrenburg, U. and Altmeyer, P. Perforating cutaneous amyloidosis (Abstract), 186
Bailie, F.B. *see* Armstrong, A.L.
Ballestin, C. *see* Ortis-Frutos, F.J.
Barbareschi, M. *see* Gasparini, G.
Barduagni, O *see* Innocenzi, D.
Barnes, R.M.R., Lewis-Jones, M.S., Allan, S., Dixon, T.A. and Vickers, C.F.H. Development and isotype diversity of antibodies to inhalant and dietary antigens in childhood atopic eczema, 211
Bassukas, I.D. *see* Fartasch, M.
Bauer, R. *see* Biwer, E.
Bazex, J. *see* Samalens, G.
Bazex, J., Daste, G., Samalens, G., Sans, B. and Viraben, R. Ultrastuctural study in two patients with mid-dermal elastolysis associated wrinkles (Abstract), 181
Bedane, C., Bernard, P., Catanzano, G. and Bonnetblanc, J.M. Atypical pemphigoid: clinical, immunological and ultrastructural correlations (Abstract), 181
Benoldi, D., Zucchi, A. and Allegra, F. Multiple minute digitate hyperkeratoses, 261
Berger, M.J. *see* Crijns, M.B.
Bergman, W. *see* Crijns, M.B.
Bernard, P. *see* Bedane, C.
Berth-Jones, J. *see* Bourke, J.F.
Bettini, D. *see* Iraci, S.
Bharucha, H. *see* Handley, J.M.
Bhate, S.M., Sharpe, G.R., Marks, J.M., Shuster, S. and Ross, W.M. Prevalence of skin and other cancers in patients with psoriasis, 401
Bhogal, B.S. *see* Paige, D.G.
Bianchi, L. *see* Iraci, S.
Biddlestone, L. *see* Vestey, J.
Bingham, E.A. *see* Handley, J.M.
Biwer, E. *see* Uerlich, M.
Biwer, E., Wimheuer, R., Uerlich, M., Bauer, R. and Kreysel, H.W. Mycosis fungoides-like pleomorphic T-cell-lymphoma (Abstract), 180
Black, M.M. *see* Clement, M.
Black, M.M. *see* Higgins, C.R.
Black, M.M. *see* Judge, M.R.
Black, M.M. *see* Ostlere, L.S.
Black, M.M. *see* Paige, D.G.
Bladt, U. *see* Wolf, B.
Blanchet Bardon, C. *see* Petit, A.
Blanchet-Bardon, C. *see* Janin, A.
Bologna, G. *see* Torresani, C.
Bonino, M. *see* Galimberti, R.L.
Bonnetblanc, J.M. *see* Bedane, C.
Bonnetblanc, J.M. *see* Roger, D.
Borka, I. *see* Török, L.
Borrego, L. *see* Zarco, C.
Bose, M. *see* Sehgal, V.N.
Bosi, A. *see* Romagnoli, P.
Bosman, C. *see* Innocenzi, D.
Bottomley, W. *see* Harris, I.R.
Bourgault, I. *see* Prost, C.
Bourke, J.F., Berth-Jones, J. and Hutchinson, P.E. Occlusion enhances the efficacy of topical calcipotriol in the treatment of psoriasis vulgaris, 504
Bourke, J.F. and Burns, D.A. Neonatal lupus erythematosus with persistent telangiectasia and spastic paraparesis, 271
Bowker, C.M. *see* Yee, K.C.
Bradfield, J. *see* Oliwiecki, S.

Brasch, J., Martens, H. and Sterry, W. Langerhans cell accumulation in chronic tinea pedis and pityriasis versicolor, 329
Braun-Falco, O. *see* Kárpáti, S.
Braun-Falco, O. *see* Stolz, W.
Brezzi, A. *see* Gasparini, G.
Bruynzeel, D.P *see* De Haan, P.
Bull, R.H., Marsden, R.A., Cook, M.G. and Ryan, J.F. Fatal facial ulceration, 356
Bull, R.H. and Mortimer, P.S. Acute lipodermatosclerosis in a pendulous abdomen, 164
Burns, D.A. *see* Bourke, J.F.
Burrows, D. *see* McElhenny, B.E.
Burrows, N.P *see* Hughes, J.
Burton, J.L. *see* Oliwiecki, S.

Callen, J.P *see* Williams, B.J.
Carlesimo, O.A. *see* Innocenzi, D.
Carmichael, A.J., Tan, C.Y. and Abraham, S.M. Adult onset mongolian spot, 72
Carmichael, A.J. and Foulds, I.S. Performing a factory visit, 208
Carneiro, F. *see* Pinto, A.R.
Carrozzo, A.M. *see* Iraci, S.
Castro, J. *see* Galimberti, R.L.
Catanzano, G. *see* Bedane, C.
Cavicchini, S. *see* Gasparini, G.
Cederholm-Williams, S. *see* Venning, V.A.
Cenacchi, G. *see* Manara, G.C.
Cerio, R. *see* Innocenzi, D.
Cerio, R. *see* Stefanato, C.M.
Cerri, A. *see* Gasparini, G.
Chaves F.C. *see* Pinto, A.R.
Chi, H-I. *see* Otsuka, F.
Cho, K.H., Kim, Y.G., Seo, K.I. and Suh, D.H. Black heel with atypical melanocytic hyperplasia, 437
Chosidow, O. *see* Joly, P.
Chosidow, O. *see* Prost, C.
Ciclitira, P.J. *see* Sturgess, R.
Civatte, J. *see* Petit, A.
Clement, M., Ratnesar, P., Thirumoorthy, T., McGrath, J. and Black, M.M. Epidermolysis bullosa acquisita—a case with upper airways obstruction requiring tracheostomy and responding to cyclosporin, 548
Coccia-Portugal, M.A. *see* Jacyk, W.K.
Cohen, M.L. *see* Arroyo, J.F.
Coley, K.E. *see* Duffill, M.B.
Collard, R. *see* Long, C.C.
Comacchi, C. *see* Lotti, T.
Cook, M.G. *see* Bull, R.H.
Copin, M.C. *see* Janin, A.
Cotterill, J.A. *see* Hughes, B.R.
Cotterill, J.A. *see* Layton, A.M.
Coulson, I.H. 'Fade out' photochromonychia, 87
Cox, N.H. *see* Munro, C.S.
Crijns, M.B., Bergman, W., Berger, M.J., Hermans, J. and Sober, A.J. On naevi and melanomas in dysplastic naevus syndrome patients, 248
Cronin, E. *see* Handfield-Jones, S.E.
Cunliffe, W.J. *see* Monk, B.
Cunliffe, W.J. *see* Harris, I.R.
Cunliffe, W.J. *see* Layton, A.M.

Dagg, J.H. *see* McHenry, P.M.
Danielsen, L. *see* Karlsmark, T.
Daste, G. *see* Bazex, J.
Daste, G. *see* Samalens, G.
Dawson, J.F. *see* McKenna, K.E.
De Boer, E.M. *see* De Haan, P.
De Haan, P., Heemskerk, A.E.J., Gerritsen, A., De Boer, E.M., Sampat, S., Van Der Raaij-Helmer, E.M. and Bruynzeel, D.P Comparison of toxicity tests on human skin and epidermoid (A431) cells using free fatty acids as test substances, 428
De Panfilis, G. *see* Manara, G.C.
De Panfilis, G. *see* Torresani, C.
Dean, D. *see* Wilson, C.L.
Dean, S. *see* Lopez Valle, C.A.
Del-Río, E., Aguilar, A., Ambrojo, P., Vélez, A. and Sánchez Yus, E. Pseudo-Kaposi sarcoma induced by minor trauma in a patient with Klippel–Trenaunay–Weber syndrome, 151
Del-Río, E., Pena, J. and Aguilar, A. Milia cysts along the nasal groove in a child, 289
Derrick, D.K. and Price, M.L. Plane xanthomatosis with chronic lymphatic leukaemia, 259
Diaz-Pérez, J.L. *see* Arregui, M.A.
Diaz-Pérez, J.L. *see* Goday, J.
Dick, D. *see* Dwyer, C.M.
Diepgen, T.L. *see* Fartasch, M.
Dinsmore, W.W. *see* Handley, J.M.
Dixon, T.A. *see* Barnes, R.M.R.
Doncheva, N. *see* Adjarov, D.
Dontenwille, M.M. *see* Petit, A.
Dowd, P.M. *see* Leslie, T.A.
Drago, F., Maietta, G., Parodi, A. and Rebora, A. Keratosis pilaris decalvans non-atrophicans, 45
Dreyer, L. *see* Jacyk, W.K.
Du Vivier, A.W.P *see* Higgins, E.M.
Dubos, J.P *see* Janin, A.
Duffill, M.B. and Coley, K.E. Cutaneous phaeohyphomycosis due to *Alternaria alternata* responding to intraconazole, 156
Duran, C. *see* Ruiz-Maldonado, R.
Dwyer, C.M. and Dick, D. Ulceration in necrobiosis lipoidica—a case report and study, 366

Eady, R.A. *see* Ishida-Yamamoto, A.
Eady, R.A.J. *see* Shimizu, H.
Eady, R.A.J., McGrath, J., Schofield, O.M.V. and Yamamoto, A. A transient congenital bullous disorder characterized by intraepidermal inclusions of type VII collagen: a new form of epidermolysis bullosa (Abstract), 180
Egan, S.A. *see* Goodyear, H.M.
Eizaguirre, X. *see* Goday, J.
Eizaquirre, X. *see* Arregui, M.A.
El-Gammal, S. *see* Hoffmann, K.
El-Kabir, M., Scully, C., Porter, S., Porter, K. and Macnamara, E. Liver function in UK patients with oral lichen planus, 12
Elias, A.N., Goodman, M.M. and Rohan, M.K. Serum ICAM-1 concentrations in patients with psoriasis treated with antithyroid thioureylenes, 526
English, J.S.C. *see* Wilkinson, S.M.
Enriquez De Salamanca, R., Sepulveda, P., Moran, M.J., Santos, J.L., Fontanellas, A. and Hernandez, A. Clinical utility of fluorometric scanning of plasma porphyrins for the diagnosis and typing of porphyrias, 128

Faergemann, J. and Laufen, H. Levels of fluconazole in serum stratum corneum, epidermis–dermis (without stratum corneum) and eccrine sweat, 102
Fartasch, M., Diepgen, T.L. and Bassukas, I.D. Disturbed extrud-

ing mechanism of membrane-coating granules in dry non-eczematous skin of atopics (Abstract), 189
FARTASCH, M. and DIEPGEN, T.L. Ultrastructural study of the intercorneocyte lipid layers of the human epidermis (Abstract), 181
FENG FANG-PO *see* WU YI-SHU
FERGUSON, A. *see* PELTZ, S.
FERGUSON, J. *see* GREEN, C.
FERRARI, C. *see* MANARA, G.C.
FERRARI, C. *see* TORRESANI, C.
FINCH, R.G. *see* ARMSTRONG, A.L.
FINLAY, A.Y. *see* LONG, C.C.
FINLAY, A.Y. *see* MILLS, C.M.
FINLAY, A.Y. *see* RADEMAKER, M.
FLETCHER, A. *see* HEALSMITH, M.F.
FLORES, V. *see* GALIMBERTI, R.L.
FONTANELLAS, A. *see* ENRIQUEZ DE SALAMANCA, R.
FOULDS, I.S. *see* CARMICHAEL, A.J.
FRANGOULI, E. *see* KATSAMBAS, A.
FRANKENBURG, S. *see* VARDY, D.A.
FRANKS, A. and VERBOV, J.L. Unilateral localized idiopathic lipoatrophy, 468
FREITAS, A.F. *see* PINTO, A.R.
FUJISAKI, K. *see* FUJIWARA, H.
FUJIWARA, H., FUJISAKI, K., OKUDA, C., ITO, M. and SATO, Y. A case of congenital leiomyosarcoma (Abstract), 185
FUJIWARA, H. *see* ITO, M.
FUJIWARA, T. *see* ISHIKO, A.
FUKUDA, M. *see* KONO, T.
FUNNELL, C.M. *see* LONG, C.C.
FURUE, M. *see* ABE, M.
FURUMURA, M. *see* IMAYAMA, S.
FURUMURA, M., IMAYAMA, S. and HORI, Y. Novel kinetics of keratin intermediate filaments in epidermolysis bullosa simplex: ultrastructural study of three cases (Abstract), 179
FURUYA, K. *see* MATSUMURA, T.
FURUYA, K., KUMAKIRI, M., OHKAWARA, A., YOSHIDA, T. and OHURA, T. Sclerosing sebaceous carcinoma: a new variant of a sebaceous carcinoma of the skin (Abstract), 189

GALIMBERTI, R.L., BONINO, M., FLORES, V., GARCIA, A., MILICICH, R., SQUIQUERA, H.L., CASTRO, J. and STETTENDORF, S. Ultrashort topical treatment of pityriasis versicolor with 2.5% bifonazole cream, 25
GARCIA, A. *see* GALIMBERTI, R.L.
GASPARINI, G., BREZZI, A., BARBARESCHI, M., CERRI, A. and CAVICCHINI, S. Normal human cultured keratinocytes: an ultrastructural study (Abstract), 188
GATTI, S. *see* IRACI, S.
GAWKRODGER, D.J. *see* MCDONAGH, A.J.G.
GEBHART, W. *see* KERSTEN, A.
GEBHART, W. *see* PARTH, E.
GEBHART, W. *see* SELLNER, W.
GENEFKE, I.K. *see* KARLSMARK, T.
GENOVESE, A., SPADARO, G. and MARONE, G. Livedo reticularis in a patient with systemic lupus erythematosus and anticardiolipin antibodies, 159
GEORGE, S. *see* GREEN, C.
GERRITSEN, A. *see* DE HAAN, P.
GHERSETICH, I. *see* LOTTI, T.
GHOSH, S. *see* KANWAR, A.J.
GIANNOTTI, B. *see* ROMAGNOLI, P.
GIL, R. *see* ORTIS-FRUTOS, F.J.
GIL, R. *see* ZARCO, C.
GILS-MARTIN, R. *see* LLAMAS-MARTIN, R.
GODAY, J., RATON, J.A., LANDA, N., EIZAGUIRRE, X. and DIAZ-PEREZ, J.L. Benign cephalic histiocytosis—study of a case, 280
GOLDENHERSH, M. *see* VARDY, D.A.
GOLDIN, R. *see* LEWIS, H.M.
GOLDSMITH, P.C. *see* LESLIE, T.A.
GONZALEZ, M.P *see* YAÑEZ, S.
GOODFIELD, M.J.D. *see* STAINFORTH, J.
GOODFIELD, M.J.D. *see* STUBBINGS, J.M.
GOODMAN, M.M. *see* ELIAS, A.N.
GOODYEAR, H.M., WATSON, P.J., EGAN, S.A., PRICE, E.H., KENNY, P.A. and HARPER, J.I. Skin microflora of atopic eczema in the first time hospital attenders, 300
GOSSELIN, B. *see* JANIN, A.
GOTO, K. *see* ANSAI, S.
GOUAULT-HEILMANN, M. *see* JOLY, P.
GOULDEN, N. *see* VESTEY, J.
GRAHAM-BROWN, R.A.C. *see* HEALSMITH, M.F.
GREAVES, M.V. *see* HANDFIELD-JONES, S.E.
GREAVES, M.W. *see* STEFANATO, C.M.
GREAVES, M.W. *see* ZIP, C.M.
GREEN, C., GEORGE, S., LAKSHMIPATHI, T. and FERGUSON, J. A trial of accelerated PUVA in psoriasis, 297
GREEN, C. and HAWK, J.L.M. Cutaneous malignancy related to cyclosporin A therapy, 30
GÜNZEL, S., WEIDENTHALER, B., HAUSSER, I. and ANTON-LAMPRECHT, I. Heterogeneity of keratohyalin-like proteins in keratinizing human epithelia as demonstrated by differential labelling with anti-filaggrin in immunoelectron microscopy (Abstract), 182
GUPTA, R. *see* SEHGAL, V.N.

HAFTEK, M., SERRE, G., VINCENT, C., KULIGOWSKI, M. and THIVOLET, J. Antibodies to the rat oesophagus stratum corneum in rheumatoid arthritis: an immunocytochemical study of the antigens involved (Abstract), 188
HALEEM, A. *see* JOSHI, R.K.
HAMADA, T. *see* KONO, T.
HAMM, H. *see* JOHN, S.M.
HANDA, S. *see* KANWAR, A.J.
HANDFIELD-JONES, S. *see* HIGGINS, C.R.
HANDFIELD-JONES, S.E., HILLS, R.J., IVE, F.A. and GREAVES, M.V. Aquagenic pruritus associated with juvenile xanthogranuloma, 253
HANDFIELD-JONES, S.E. and CRONIN, E. Contact sensitivity to lignocaine, 342
HANDLEY, J.M., MAW, R.D., BINGHAM, E.A., HORNER, T., BHARUCHA, H., SWANN, A., LAWTHER, H. and DINSMORE, W.W. Anogenital warts in children, 241
HANEDA, T. *see* SHIMIZU, H.
HARLAND, C.C. and MILLARD, L.G. Pyoderma gangrenosum—a complication of chronic venous leg ulceration?, 545
HARPER, J.I. *see* GOODYEAR, H.M.
HARPER, J.I. *see* PAIGE, D.G.
HARRINGTON, C.I. *see* LEWIS, F.M.
HARRIS, D. *see* OSTLERE, L.S.
HARRIS, I.R., BOTTOMLEY, W., WOOD, E.J. and CUNLIFFE, W.J. Use of autografts for the treatment of leg ulcers in elderly patients, 417
HARTOG, M. *see* KAVANAGH, G.M.
HARTSCHUH, W. and WEIHE, E. Tachykinin immunoreactivity in merkel cells of pig skin—a light microscopic immunoenzyme and electron microscopic immunogold study (Abstract), 185
HARUKI, T. *see* TOYOMOTO, T.
HASHIMOTO, I. *see* MITSUHASHI, Y.
HASHIMOTO, T. *see* ISHIKO, A.
HASHIMOTO, T. *see* OSTLERE, L.S.
HAUSSER, I. *see* GÜNZEL, S.

HAWK, J.L.M. *see* GREEN, C.
HAYAKAWA, H. *see* NAGATANI, T.
HAZELHURST, J.A. *see* JACYK, W.K.
HEAGERTY, A.H.M. *see* WILKINSON, S.M.
HEALSMITH, M.F., GRAHAM-BROWN, R.A.C., OSBORNE, J.E., LONDON, S.P and FLETCHER, A. Further experience of public education for the early diagnosis of malignant melanoma in Leicestershire, 396
HEEMSKERK, A.E.J. *see* DE HAAN, P.
HERD, R.M., MCLAREN, K.M and ALDRIDGE, R.D. Linear lichen planus and lichen striatus—opposite ends of a spectrum, 335
HERMANS, J. *see* CRIJNS, M.B.
HERNANDEZ, A. *see* ENRIQUEZ DE SALAMANCA, R.
HEYL, T. *see* VISSER, A.J.
HIGGINS, C.R., HANDFIELD-JONES, S. and BLACK, M.M. Erosive, flexural lichen planus—an uncommon variant, 169
HIGGINS, E.M., SALISBURY, J.R. and DU VIVIER, A.W.P Subcutaneous sarcoidosis, 65
HILLS, R.J. *see* HANDFIELD-JONES, S.E.
HIMENO, H. *see* MATSUMURA, T.
HINO, H., ASAHINA, A., OKADA, Y., ANDO, I., YANAGIHARA, M. Ultrastructural findings in Noonan's syndrome (Abstract), 189
HISA, T. *see* KONO, T.
HOFFMANN, K., WINKLER, K., EL-GAMMAL, S. and ALTMEYER, P. A wound healing model with sonographic monitoring, 217
HOHENLEUTNER, U. and LANDTHALER, M. Laser therapy of verrucous epidermal naevi, 124
HOLDEN, C.A. Atopic dermatitis—messengers, second messengers and cytokines, 201
HOLT, P.J.A. *see* LONG, C.C.
HONJO, M. *see* IWASAWA, U.
HOPKINSON, G.B. *see* OFFORI, T.W.
HORI, Y. *see* FURUMURA, M.
HORI, Y. *see* IMAYAMA, S.
HORNER, T. *see* HANDLEY, J.M.
HORNICK, U. *see* ZONZITS, E.
HOZUMI, Y. *see* ANSAI, S.
HUGHES, B.R. and COTTERILL, J.A. The relationship of psoriasis to malignancy: a clinical report, 41
HUGHES, J. and BURROWS, N.P. Infectious mononucleosis presenting as erythema multiforme, 373
HUGHES, J.R., MOORE, M.K. and PEMBROKE, A.C. Tinea nigra palmaris, 481
HUNG, T. *see* STURGESS, R.
HUNTER, J.A.A. *see* PELTZ, S.
HUNTER, J.A.A. *see* SPENCER, M.-J.
HUNTER, J.A.A. *see* VESTEY, J.
HUTCHINSON, P.E. *see* BOURKE, J.F.

IEMOTO, G. *see* NAGATANI, T.
IGLESIAS, L. *see* ORTIS-FRUTOS, F.J.
IGLESIAS, L. *see* ZARCO, C.
IGLESIAS-DIEZ, L. *see* LLAMAS-MARTIN, R.
IMAYAMA, S. *see* FURUMURA, M.
IMAYAMA, S., YASHIMA, Y., FURUMURA, M. and HORI, Y. Topological distribution of cell surface antigens expressed by epidermal basal cells in mycosis fungoides and erythema (Abstract), 190
INNOCENZI, D., BARDUAGNI, F., CERIO, R. and WOLTER, M. Uv-induced colloid milium, 347
INNOCENZI, D., CERIO, R., BARDUAGNI, O., BOSMAN, C. and CARLESIMO, O.A. Bacillary epithelioid angiomatosis in acquired immunodeficiency syndrome (AIDS)—clinicopathological and ultrastructural study of a case with a review of the literature, 133
INOUE, K. *see* SATO, R.
IRACI, S., BIANCHI, L., GATTI, S., CARROZZO, A.M., BETTINI, D. and NINI, G. Pachyonychia congenita with late onset of nail dystrophy—a new clincal entity? 478
ISHIBASHI, Y. *see* ABE, M.
ISHIDA-YAMAMOTO, A., LEIGH, I.M. and EADY, R.A.J. Immunoelectron microscopic analysis of the interaction of fillaggrin and keratin in epidermolytic hyperkeratosis (Abstract), 182
ISHIDA-YAMAMOTO, A., MCGRATH, J.A., LEIGH, I.M. and EADY, R.A.J. Dowling–Meara epidermolysis bullosa simplex is a disorder in the formation of the keratin filament network which causes tonofilament clumping in keratinocytes expressing keratin 14 (Abstract), 191
ISHII, M. *see* KONO, T.
ISHIKAWA, H. *see* MITSUHASHI, Y.
ISHIKO, A., SHIMIZU, H., FUJIWARA, T., HASHIMOTO, T. and NISHIKAWA, T. Ultrastructural localization of epidermal basement membrane zone (BMZ) antigens: comparison of the resolution of immunperoxidase and immunogold labelling (Abstract), 178
ITIN, P., PITTELKOW, M.R. and SU, D.W.P Harlequin ichthyosis: structural aspects of the disease (Abstract), 180
ITO, K., TOGASHI, K., SHIBUYA, M., AOKI, N., NAKAMURA, N., SHIMIZU, N., OSAWA, K., TAZAWA, T., YAMAMOTO, A., ITO, M. and SATO, Y. Bowen's disease differentiating towards sweat duct architecture (Abstract), 185
ITO, M. *see* FUJIWARA, H.
ITO, M. *see* ITO, K.
ITO, M., FUJIWARA, H., MARUYAMA, T., OGURO, K. and SATO, Y. Morphogenesis of the cornoid lamella: a histochemical immunohistochemical and ultrastructural study of porokeratosis (Abstract), 182
IVE, F.A. *see* HANDFIELD-JONES, S.E.
IWAHARA, K., KAWAMOTO, T., KIYOHARA, A., TANEDA, A. and TSUJI, J. A case of congenital self-healing reticulohistiocytosis (Abstract), 181
IWASAWA, U., HONJO, M., BABA, S. and SUZUKI, H. Electron microscopic observation of sebaceous carcinoma (Abstract), 190
IZU, R. *see* ARREGUI, M.A.

JAAFAR, R.B. and PETTIT, J.H.S. Atopic eczema in a multiracial country (Malaysia), 496
JACYK, W.K., HAZELHURST, J.A., DREYER, L. and COCCIA-PORTUGAL, M.A. Epidermodysplasia verruciformis and malignant thymoma, 89
JANIN, A., BLANCHET-BARDON, C., COPIN, M.C., DUBOS, J.P, ROULAND, V. and GOSSELIN, B. Peeling skin syndrome, type A: ultrastructural study of 3 cases in the same family (Abstract), 190
JOHN, S.M. and HAMM, H. Actinic comedonal plaque—a rare ectopic form of the Favre–Racouchot syndrome, 256
JOHNO, J. *see* KAYASHIMA, K.
JOLY, P., CHOSIDOW, O., GOUAULT-HEILMANN, M., LEVENT, M., ROUJEAU, J.C. and REVUS, J. Protein S deficiency in a patient with necrotizing cellulitis, 305
JONES, S. *see* YATES, P.
JOSHI, R.K., AL ASIRI, R.H., HALEEM, A., ABANMI, A. and PATEL, C.K. Cutaneous granuloma with ataxia telangiectasia—a case report and review of the literature, 458
JUDGE, M.R., MCDONALD, A. and BLACK, M.M. Pustular psoriasis in childhood, 97
JUDGE, M.R., MCGIBBON, D.H. and THOMPSON, R.P.H. Angioendotheliomatosis associated with Castleman's lymphoma and POEMS syndrome, 360
JURECKA, W. *see* KERSTEN, A.
JURECKA, W. *see* PARTH, E.
JURECKA, W. *see* SCHULZE, H.-J.

KAISERLING, E. *see* SCHAUMBURG-LEVER
KAKINUMA, H., MAEOKA, Y. and SUZUKI, H. Histochemical and electron microscopic studies of cultured cells from hidradenoma papilliferum (Abstract), 190
KANERVA, L. *see* NIEMI, K-M.
KANITAKIS, J. and COMBEMALE, P. Epidermolysis bullosa herpetiformis with mottled pigmentation and punctate keratoderma. Light and electron-microscopic study of a new case (Abstract), 279
KANWAR, A.J., GHOSH, S., HANDA, S., THAMI, G.P and KAUR, S. Keratitis, ichthyosis, deafness (KID) syndrome—the first report from India, 386
KARLSMARK, T. *see* KOBAYASHI, T.
KARLSMARK, T., DANIELSEN, L., THOMSEN, H.K., AALUND, O., NIELSEN, O. and GENEFKE, I.K. Initial changes in dermal pig skin after exposure to heat and electric energy and acidic and basic solutions (Abstract), 188
KÁRPÁTI, S., STOLZ, W., MEURER, M., SOEHNCHEN, R., BRAUN-FALCO, O. and KRIEG, T. Ultrastructural evidence of IgG binding along the carboxyl terminus of collagen VII in epidermolysis bullosa acquisita skin using immunogold technique (Abstract), 190
KASERER, C. *see* MUSS, W.H.
KATAKURA, H. *see* NAGATANI, T.
KATO, K. *see* TSUDA, S.
KATO, T., SUETAKE, T., SUGIYAMA, Y., TANITA, Y., KUMASAKA, K., TAKEMATSU, H., TOMITA, Y. and TAGAMI, H. Improvement in survival rate of patients with acral melanoma observed in the past 22 years in Sendai, Japan, 107
KATSAMBAS, A., ANTONIOU, CH. FRANGOULI, E., RIGOPOULOS, D., VLACHOU, M., MICHAILIDIS, D. and STRATIGOS, J. Itraconazole in the treatment of tinea corporis and tinea cruris, 322
KAUR, S. *see* KANWAR, A.J.
KAVANAGH, G.M., NOVELLI, M., HARTOG, M. and KENNEDY, C.T.C. Necrobiosis lipoidica—involvement of atypical sites, 543
KAVANAGH, G.M., RIGBY, H.S. and ARCHER, C.B. Giant primary mucinous sweat gland carcinoma of the scalp, 375
KAWAMOTO, T. *see* IWAHARA, K.
KAYASHIMA, K., JOHNO, J. and ONO, T. An ultrastructural study of lipid inclusions in Fabry's disease (Abstract), 187
KENNEDY, C.T.C. *see* KAVANAGH, G.M.
KENNY, P.A. *see* GOODYEAR, H.M.
KENT, G. and AL-ABADIE, M. The Psoriasis Disability Index—further analysis, 414
KERSTEN, A., METZE, D., JURECKA, W. and GEBHART, W. Immunoglobulin secretion: a domesticating principle in cutaneous ecosystems (Abstract), 191
KIM, S-T. *see* NAGATANI, T.
KIM, Y.G. *see* CHO, K.H.
KIRCHESCH, H., SKAMPER, M., SCHWONZEN, M., SEFKOW, S., SKODA, G. and MAHRLE, G. Longterm infection of the B-cell line DG 75 with human herpesvirus 6 (HHV-6); electron microscopic studies of pathological changes and comparative immunological characterization of the cell line (Abstract), 186
KITAJIMA, Y., JOKURA, Y. and YOITA, H. Electron microscopic and immunofluorescence study of spherical aggregations of keratin intermediate filaments in cultured keratinocytes and biopsied epidermis of epidermolysis bullosa simplex, Dowling–Meara type (Abstract), 179
KIYOHARA, A. *see* IWAHARA, K.
KLAUS, S.N. *see* VARDY, D.A.
KLIN, B. *see* RONNEN, M.
KNIGHT, A.G. *see* MILLS, C.M.
KOBAYASHI, T., KARLSMARK, T., VERDER, H. and ØSTERGÅRD, K. Aplasia cutis congentia: ultrastructure of blistering lesions in a case (Abstract), 181
KOBAYASHI, T. and THRANE, H. Improved method of glycol methacrylate embedding for immunoelectron microscopy (Abstract), 179
KOBZA-BLACK, A. *see* STEFANATO, C.M.
KOIZUMI, M. *see* KONOHANA, A.
KOLDE, G. *see* METZE, D.
KONO, T., TANAGUCHI, S., MIZUNO, N., FUKUDA, M., MAEKAWA, N., HISA, T., ISHII, M., OTANI, S. and HAMADA, T. Effects of colchicine on the induction of ornithine decarboxylase and its gene expression by the phorbol ester tumour promoter, 314
KONOHANA, A., NODA, J. and KOIZUMI, M. Multiple xanthogranulomas in an adult, 462
KONRAD, K. *see* LANGER, K.
KONRAD, K. *see* ZONZITS, E.
KONTAKOU, M. *see* STURGESS, R.
KORSTANJE, M.J. *see* NOZ, K.C.
KORTING, H.C., SCHMID, M.-H. and STOLZ, W. Interaction of gold-containing liposomes and human keratinocytes in vitro (Abstract), 187
KREYSEL, H.W. *see* BIWER, E.
KRIEG, T. *see* KARPATI, S.
KUBOTA, Y. and MIZOGUCHI, M. Modulation of morphological differentiation of human endothelial cells in culture by the synthetic peptide YIGSR and cytochalasin B, 236
KULIGOWSKI, M. *see* HAFTEK,M.
KUMAKIRI, M. *see* FURUYA, K.
KUMAKIRI, M. *see* MATSUMURA, T.
KUMASAKA, K. *see* KATO, T.
KURAMOTO, Y., SEKITA, Y. and TAGAMI, H. Histoanalytical study of the cellular infiltrate in tuberculin reaction, 111
LAHUERTA-PALACIOS, J.J. *see* ZARCO, C.
LAIDLER, P. *see* LONG, C.C.
LAKSHMIPATHI, T. *see* GREEN, C.
LANDA, N. *see* ARREGUI, M.A.
LANDA, N. *see* GODAY, J.
LANDTHALER, M. *see* HOHENLEUNTER, U.
LANDTHALER, M. *see* STOLZ, W.
LANGER, K., KONRAD, K. and WOLFF, K. Blisters induced by fibrinolytic enzymes in cultured human skin explants: light and electron microscopic observations (Abstract), 188
LAUFEN, H. *see* FAERGEMANN, J.
LAUKO, L. *see* PÉC, J.
LAWRENCE, C.M. *see* SPEIGHT, E.L.
LAWTHER, H. *see* HANDLEY, J.M.
LAYTON, A.M. *see* MONK, B.
LAYTON, A.M. and COTTERILL, J.A. A case of Achenbach's syndrome, 60
LAYTON, A.M. and CUNLIFFE, W.J. Phototoxic eruptions due to doxycycline—a dose-related phenomenon, 425
LAZAROVA, Z.I. *see* PÉC, J.
LEE, H.G. *see* YOUN, J.I.
LEE, Y.S. *see* YOUN, J.I.
LEIBOVICI, V. *see* VARDY, D.A.
LEIGH, I.M. *see* ISHIDA-YAMAMOTO, A.
LEONARD, J.N. *see* LEWIS, H.M.
LEROUX-ROBERT, C. *see* ROGER, D.
LESLIE, T.A., GOLDSMITH, P.C., THOMPSON, A.J. and DOWD, P.M. Degos disease and spastic paraplegia, 344
LEVENT, M. *see* JOLY, P.
LEVER, R.S. *see* MCHENRY, P.M.
LEWIS, F.M. and HARRINGTON, C.I. Lupus pernio following facial trauma, 476
LEWIS, H.M., GOLDIN, R. and LEONARD, J.N. Dermatitis herpetiformis and primary sclerosing cholangitis, 363
LEWIS-JONES, M.S. *see* BARNES, R.M.R.

Llamas-Martin, R., Postigo-Llorente, C., Vanaclocha- Sebastian, F., Gil-Martin, R. and Iglesias-Diez, L. Primary cutaneous extramedullary plasmacytoma secreting λIgG, 351
Lo, W.L. and Wong, C.K. Localized pachydermodactyly in tuberous sclerosis, 146
London, S.P *see* Healsmith, M.F.
Long, C.C., Funnell, C.M., Collard, R. and Finlay, A.Y. What do members of the National Eczema Society really want? 516
Long, C.C., Laidler, P. and Holt, P.J.A. Suprabasal acantholysis—an unusual feature of necrolytic migratory erythema, 464
Lopez Valle, C.A., Auger, F., Dean, S. and Rowden, G. Myofibroblasts in contracted dermal equivalents (Abstract), 188
Lotti, T., Ghersetich, I., Comacchi, C. and Romagnoli, P. Dermal infiltrate in purpura pigmentosa chronica (Abstract), 191

Maciel, L.S. *see* Pinto, A.R.
McCance, D. *see* McElhenny, B.E.
McDonagh, A.J.G., Gawkrodger, D.J. and Walker, A.E. Chloracne—study of an outbreak with new clinical observations, 523
McDonald, A. *see* Judge, M.R.
McElhenny, B.E., Todd, D.J., McCance, D., Young, I. and Burrows, D. Erythrodermic psoriasis. Report of a case associated with symptomatic hypophosphataemia, 167
McGibbon, D.H. *see* Judge, M.R.
McGrath, J. *see* Clement, M.
McGrath, J. *see* Eady, R.A.J.
McGrath, J.A. *see* Ishida-Yamamoto, A.
McHenry, P.M., Dagg, J.H., Tidman, M.J. and Lever, R.S. Epidermolysis bullosa acquisita occurring in association with systemic lupus erythematosus, 378
McKenna, K.E. and Dawson, J.F. Scurvy occurring in a teenager, 75
McKenna, K.E. and McMillan, J.C. Exacerbation of psoriasis, liver dysfunction and thrombocytopenia associated with mebhydrolin, 131
MacKie, R.E. The march of melanoma, 1
McLaren, K.M. *see* Herd, R.M.
McMillan, J.C. *see* McKenna, K.E.
Macnamara, E. *see* El-Kabir, M.
McVittie, E. *see* Spencer, M.-J.
Maekawa, N. *see* Kono, T.
Maeoka, Y. *see* Kakinuma, H.
Mahrle, G. *see* Kirchesch, H.
Mahrle, G. *see* Schulze, H.-J.
Maietta, G. *see* Drago, F.
Majima, M. and Ohi, T. Cutaneous malakoplakia (Abstract), 186
Manara, G.C. *see* Torresani, C.
Manara, G.C., Ferrari, C., Scala, C., Cenacchi, G., Pasquinelli, G. and De Panfilis, G. The use of a new hydrophilic resin in dermatological research (Abstract), 178
Marguery, M.C. *see* Samalens, G.
Marks, J.M. *see* Bhate, S.M.
Marks, J.M. *see* Munro, C.S.
Marone, G. *see* Genovese, A.
Marsch, W.CH. *see* Mayet, A.
Marsden, R.A. *see* Bull, R.H.
Martens, H. *see* Brasch, J.
Maruyama, T. *see* Ito, M.
Matsumura, T., Furuya, K., Kumakiri, M., Ohkawara, A. and Himeno, H. Detection of selenium in generalized and localized argyria: report of four cases with X-ray microanalysis (Abstract), 187
Matsuoka, Y. and Saito, R. Ultrastructural study of the basement membrane of involved capillary vessels in purpura pigmentosa progressiva (Abstract), 191
Matsuzaki, T. *see* Nagatani, T.
Maw, R.D. *see* Handley, J.M.
Mayer, R.D. and Smith, N.P Improvement of trigeminal neurotrophic ulceration with pimozide in a cognitively impaired elderly woman—a case report, 171
Mayet, A. and Marsch, W.CH. Pitted keratolysis—bacterial keratolysis and the therapeutic cure of ciclopiroxolamine (Abstract), 181
Metze, D. *see* Kersten, A.
Metze, D. and Kolde, G. Ultrastructural localization of carcinoembryonic antigen in normal skin and neoplasms (Abstract), 184
Metzler, G. *see* Schaumburg-Lever
Metzler, G. and Schaumburg-Lever, G. Ultrastructural gold labelling of actin filaments in eccrine and apocrine sweat glands (Abstract), 192
Meurer, M. *see* Kárpáti, S.
Michailidis, D. *see* Katsambas, A.
Mihara, M. Three-dimensional ultrastructure of molluscum contagiosum viruses in viral factories in the infected keratinocytes of the human skin (Abstract), 184
Milicich, R. *see* Galimberti, R.L.
Millard, L.G. *see* Harland, C.C.
Mills, C.M., Peters, T.J. and Finlay, A.Y. Does smoking influence acne? 100
Mills, C.M. and Knight, A.G. Cutaneous calcinosis—an unusual complication of intravenous phosphate administration, 370
Milne, D.S. *see* Speight, E.L.
Minarikova, E. *see* Péc, J.
Mitchell, J.J. *see* Zip, C.M.
Mitsuhashi, Y., Ishikawa, H., Takagi, Y. and Hashimoto, I. Influence of fibroblasts on differentiation and proliferation of keratinocytes: an electron microscopical observation in a bi-phase separated cell-culture system (Abstract), 189
Miyamoto, H. *see* Nagatani, T.
Miyamoto, Y. *see* Niizuma, K.
Miyasato, M. *see* Tsuda, S.
Miyata, H. *see* Yanagihara, M.
Miyazawa, M. *see* Nagatani, T.
Mizoguchi, M. *see* Kubota, Y.
Mizuno, N. *see* Kono, T.
Mizuta, K. *see* Yanagihara, M.
Moll, I. *see* Wolf, B.
Monk, B., Cunliffe, W.J., Layton, A.M. and Rhodes, D.J. Acne induced by inhaled corticosteroids, 148
Monk, B.E. Transcutaneous electronic nerve stimulation in treatment of generalized pruritus, 67
Moran, M.J. *see* Enriquez De Salamanca, R.
Mori, M. *see* Romagnoli, P.
Mori, S. *see* Namba, T.
Mori, S. *see* Yanagihara, M.
Mori, S. *see* Yoneda, K.
Morohashi, M. *see* Toyomoto, T.
Morohashi, M., Takahashi, S. and Toyomoto, T. An electron microscopic study of acne, with special reference to propionbacterium acnes (Abstract), 192
Mortimer, P.S. *see* Bull, R.H.
Motley, R.J. *see* Rademaker, M.
Munro, C.S., Cox, N.H., Marks, J.M. and Natarajan, S. Lichen nitidus presenting as palmoplantar hyperkeratosis and nail dystrophy, 381
Murase, M. *see* Sato, R.
Murata, F. *see* Yotsumoto, S.
Muss, W.H. and Kaserer, C. Adult colloid milium in a patient with IgM-paraproteinaemia: ultrastructural observations (Abstract), 192

NAGATANI, T., MIYAZAWA, M., MATSUZAKI, T., HAYAKAWA, H., IEMOTO, G., KIM, S-T., BABA, N., AIHARA, M., MIYAMOTO, H., NAKAJIMA, H., KATAKURA, H. and SHIMOYAMA, K. Cutaneous B-cell lymphoma—a clinical pathological and immunohistochemical study, 530
NAGY-VEZEKÉNYI, K. and NAGY, E. Keratinocytes in epidermal naevi (Abstract), 186
NAGY, E. *see* NAGY-VEZEKÉNYI, K.
NAKAGAWA, H. *see* ABE, M.
NAKAJIMA, H. *see* NAGATANI, T.
NAKAMA, T. *see* TSUDA, S.
NAKAMURA, N. *see* ITO, K.
NAMBA, T. *see* YANAGIHARA, M.
NAMBA, T., YONEDA, K., YANAGIHARA, M. and MORI, S. Immunohistochemical and immuno-electron microscopic study of intracytoplasmic bodies in keratinocytes of lichen amyloidosus (LA) and macular amyloidosis (MA) (Abstract), 192
NATARAJAN, S. *see* MUNRO, C.S.
NAYDENOVA, E. *see* ADJAROV, D.
NELUFER, J. *see* STURGESS, R.
NEU-VILIK, G. *see* THIELE, B.
NEWTON, J.A. Familial melanoma, 5
NIELSEN, O. *see* KARLSMARK, T.
NIEMI, K-M. and KANERVA, L. Ultrastructure of recessive ichthyosis congenita type III (Abstract), 182
NIENSTEDT, K. *see* THIELE, B.
NIIZUMA, K., YAMAMOTO, O., OHKIDO, M. and MIYAMOTO, Y. Multiple localized argyria resulting from implanted unique acupuncture needles (Abstract), 192
NINI, G. *see* IRACI, S.
NISHIKAWA, T. *see* AKIYAMA, M.
NISHIKAWA, T. *see* ISHIKO, A.
NISHIKAWA, T. *see* OSTLERE, L.S.
NOBLE, W.C. *see* PATEL, S.D.
NODA, J. *see* KONOHANA, A.
NOVELLI, M. *see* KAVANAGH, G.M.
NOZ, K.C., KORSTANJE, M.J. and VERMEER, B.J. Ulcerating necrobiosis lipoidica effectively treated with pentoxifylline, 78

OFFORI, T.W., PLATT, C.C., STEPHENS, M. and HOPKINSON, G.B. Angiosarcoma in congenital hereditary lymphoedema (Milroy's disease)—diagnostic beacons and a review of the literature, 174
OGURO, K. *see* ITO, M.
OHI, T. *see* MAJIMA, M.
OHKAWARA, A. *see* FURUYA, K.
OHKAWARA, A. *see* MATSUMURA, T.
OHKIDO, M. *see* NIIZUMA, K.
OHURA, T. *see* FURUYA, K.
OKADA, Y. *see* HINO, H.
OKUDA, C. *see* FUJIWARA, H.
OLIWIECKI, S., ARMSTRONG, J., BURTON, J.L. and BRADFIELD, J. The effect of essential fatty acids on epidermal atrophy due to topical steroids, 326
ONO, T. *see* KAYASHIMA, K.
ORTIZ-FRUTOS, F.J., ZARCO, C., GIL, R., BALLESTIN, C. and IGLESIAS, L. Lymphoepithelioma-like carcinoma of the skin, 83
OSAWA, K. *see* ITO, K.
OSBORNE, J.E. *see* HEALSMITH, M.F.
ØSTERGÅRD, K. *see* KOBAYASHI, T.
OSTLERE, L.S., HARRIS, D. and RUSTIN, M.H.A. Urticated annular erythema: a new manifestation of Sjögren's syndrome, 50
OSTLERE, L.S., STEVENS, H., BLACK, M.M., RUSTIN, M.H.A., HASHIMOTO, T. and NISHIKAWA, T. Bullous pemphigoid in infancy—a case report including new immunoblotting observations, 483
OTANI, S. *see* KONO, T.
OTSUKA, F., CHI, H-I. and UMEBAYASHI, Y. Successful differentiation of Spitz naevus from malignant melanoma by microfluorometric analysis of cellular DNA content, 421

PAIGE, D.G., BHOGAL, B.S., BLACK, M.M. and HARPER, J.I. Lichen planus pemphigoides in a child—immunopathological findings, 552
PALENCAROVA, E. *see* PÉC, J.
PALMER, R.G. *see* YEE, K.C.
PALUNGWACHIRA, P. and SUZUKI, H. Pathological changes and bacillation of nerves, blood vessels and lymphatic vessels before and after treatment in BL and LL leprosy (Abstract), 184
PÁRAMO, J.A. *see* VÁZQUEZ-DOVAL, FCO.J.
PARENTINI, A.M. *see* PARODI, A.
PARODI, A. *see* DRAGO, F.
PARODI, A., PARENTINI, A.M. and REBORA, A. Recurrent impetiginized eczema as a presenting manifestation of cyclic neutropenia, 80
PARTH, E. *see* SCHULZE, H.-J.
PARTH, E., GEBHART, W. and JURECKA, W. Hydroxyethylstarch deposits in rat tissues (Abstract), 187
PASQUINELLI, G. *see* MANARA, G.C.
PASRICHA, J.S. *see* WILSON, C.L.
PATEL, C.K. *see* JOSHI, R.K.
PATEL, S.D. and NOBLE, W.C. Analyses of skin surface lipid in patients with microbially associated skin disease, 405
PÉC, J., PLANK, L., MINARIKOVA, E., PALENCAROVA, E., ROLLOVA, Y., LAZAROVA, Z.I., AUXTOVA, S. and LAUKO, L. Generalized melanosis with malignant melenoma metastasizing to skin—a pathological study with S-100 protein and HMB-45, 454
PELTZ, S., VESTEY, J.P, FERGUSON, A., HUNTER, J.A.A. and MCLAREN, K. Disseminated metastatic cutaneous Crohn's disease, 55
PENA, J. *see* DEL-RÍO, E.
PETERS, T.J. *see* MILLS, C.M.
PETIT, A., DONTENWILLE, M.M., BLANCHET BARDON, C. and CIVATTE, J. Pili torti with congenital deafness (Bjornstad's syndrome)—report of three cases in one family, suggesting autosomal dominant transmission, 94
PETTIT, J.H.S. *see* JAAFAR, R.B.
PEYRONNET, P. *see* ROGER, D.
PIERAGGI, M.T. *see* SAMALENS, G.
PIÉRARD, G.E. and PIÉRARD-FRANCHIMONT, C. Effect of a topical erthromycin–zinc formulation on sebum delivery. Evaluation by combined photometric–multi-step samplings with Sebutape®, 410
PIÉRARD-FRANCHIMONT, C. *see* PIÉRARD, G.E.
PINTO, A.R., MACIEL, L.S., CARNEIRO, F., RESENDE, C., CHAVES F.C. and FREITAS, A.F. Systemic nodular panniculitis in a patient with alpha-1 antitrypsin deficiency (PiSS phenotype), 154
PITTELKOW, M.R. *see* ITIN, P.
PLANK, L. *see* PÉC, J.
PLATT, C.C. *see* OFFORI, T.W.
POCK, L. Morphogenesis of saw-like acanthosis in lichen planus (Abstract), 186
PORTER, K. *see* EL-KABIR, M.
PORTER, S. *see* EL-KABIR, M.
POSTIGO-LLORENTE, C. *see* LLAMAS-MARTIN, R.
PRICE, E.H. *see* GOODYEAR, H.M.
PRICE, M.L. *see* DERRICK, D.K.
PRIGNANO, F. *see* ROMAGNOLI, P.
PROST, C., BOURGAULT, I., ANDRÉ, C., VILLADA, G., WECHSLER, J., CHOSIDOW, O. and REVUS, J. Transient epidermolysis bullosa after skin graft for toxic epidermal necrolysis: ultrastructural and immunohistological features similar to inherited epidermolysis bullosa simplex (Abstract), 193

QUINTANILLA, E. *see* SOLA CASAS, M.A.
QUINTANILLA, J.A. *see* VÁZQUEZ-DOVAL, FCO.J.

RADEMAKER, M., SIMPSON, N.B., MOTLEY, R.J. and FINLAY, A.Y. Medical audit—need for a positive commitment, 17
RASHID, A. *see* ALJABRE, S.H.M.
RATNESAR, P. *see* CLEMENT, M.
RATÓN, J.A. *see* ARREGUI, M.A.
RATÓN, J.A. *see* GODAY, J.
REBORA, A. *see* DRAGO, F.
REBORA, A. *see* PARODI, A.
REDONDO BELLÓN, P. *see* SOLA CASAS, M.A.
REINHOLD, U. *see* UERLICH, M.
RESENDE, C. *see* PINTO, A.R.
REVUS, J. *see* JOLY, P.
REVUS, J. *see* PROST, C.
RHODES, D.J. *see* MONK, B.
RHODES, L.E. and VERBOV, J.L. Widespread syringomata in Down's syndrome, 333
RICHARDSON, M.D. *see* ALJABRE, S.H.M.
RIGBY, H.S. *see* KAVANAGH, G.M.
RIGOPOULOS, D. *see* KATSAMBAS, A.
RIORDAN, C.A., ANSTEY, A. and WOJNAROWSKA, F. Isotretinoin-associated pseudoporphyria, 69
ROGER, D., ALDIGIER, J.C., PEYRONNET, P., BONNETBLANC, J.M. and LEROUX-ROBERT, C. Aquired ichthyosis and pyoderma gangrenosum in a patient with systemic lupus erythematosus, 268
ROGERS, S. Measurement of plaque thickness and evaporative water loss in psoriasis with PUVA and dithranol treatment, 21
ROHAN, M.K. *see* ELIAS, A.N.
ROLLOVA, Y. *see* PÉC, J.
ROMAGNOLI, P. *see* LOTTI, T.
ROMAGNOLI, P., SANTUCCI, M., BOSI, A., MORI, M., PRIGNANO, F. and GIANNOTTI, B. Dendritic cells in the skin after allogenic bone marrow transplantation and graft-versus-host disease (Abstract), 182
RONNEN, M., SUSTER, S. and KLIN, B. Treatment of epidermal cysts with Solcoderm (a copper ion and acid solution), 500
ROSS, J.B. *see* ZIP, C.M.
ROSS, W.M. *see* BHATE, S.M.
ROTH, D.J. *see* WILLIAMS, B.J.
ROUJEAU, J.C. *see* JOLY, P.
ROULAND, V. *see* JANIN, A.
ROWDEN, G. *see* LOPEZ VALLE, C.A.
RUIZ DE ERENCHUN, F. *see* VÁZQUEZ-DOVAL, FCO.J.
RUIZ-MALDONADO, R., TAMAYO, L. and DURÁN, C. Hairy pigmented congenital naevocellular naevus in a patient with alopecia universalis, 162
RUSTIN, M.H.A. *see* OSTLERE, L.S.
RYAN, J.F. *see* BULL, R.H.

SAHA, K. *see* SEHGAL, V.N.
SAITO, R. *see* MATSUOKA, Y.
SALISBURY, J.R. *see* HIGGINS, E.M.
SAMALENS, G. *see* BAZEX, J.
SAMALENS, G., PIERAGGI, M.T., DASTE, G., MARGUERY, M.C. and BAZEX, J. Scattered connective naevus of elastic nature without osteopoikilosis or Weidman juvenile elastoma (Abstract), 186
SAMPAT, S. *see* DE HAAN, P.
SANCHEZ YUS, E. *see* DEL-RÍO, E.
SANS, B. *see* BAZEX, J.
SANTINI, R. *see* TORRESANI, C.
SANTOS, J.L. *see* ENRIQUEZ DE SALAMANCA, R.
SANTUCCI, M. *see* ROMAGNOLI, P.
SASAI, Y. *see* TSUDA, S.
SATO, R., MURASE, M., BABA, S., SUZUKI, H. and INOUE, K. Unique immunocytochemical staining of epidermis by monoclonal antibody (7C1) raised from porcine muzzle epidermis (Abstract), 193
SATO, Y *see* ITO, K.
SATO, Y. *see* FUJIWARA, H.
SAVIN, J.A., The hidden face of dermatology, 393
SCALA, C. *see* MANARA, G.C.
SCERRI, L., SHALL, L. and ZAKI, I. Carbamazepine-induced anticonvulsant hypersensitivity syndrome—pathogenic and diagnostic considerations, 540
SCHAUMBURG-LEVER, G. *see* METZLER, G.
SCHAUMBERG-LEVER, G., METZLER, G. and KAISERLING, E. Ultrastructural localization of HMB-45 binding sites (Abstract), 183
SCHMID, M.-H. *see* KORTING, H.C.
SCHMIDT, W. *see* ANTON-LAMPRECHT, I.
SCHOFIELD, O.M.V. *see* EADY, R.A.J.
SCHULTZ-EHRENBURG, U. *see* BACHARACH-BUHLES, M.
SCHULZE, H.-J., PARTH, E., JURECKA, W. and MAHRLE, G. Ultrastructural localization of hydroxyethyl starch (HES) deposits with MW 40 KD in human skin (Abstract), 187
SCHWONZEN, M. *see* KIRCHESCH, H.
SCOTT, E.M. *see* ALJABRE, S.H.M.
SCRIVER, C.R. *see* ZIP, C.M.
SCULLY, C. *see* EL-KABIR, M.
SEFKOW, S. *see* KIRCHESCH, H.
SEHGAL, V.N., GUPTA, R., BOSE, M. and SAHA, K. Immunohistopathological spectrum in cutaneous tuberculosis, 309
SEKITA, Y. *see* KURAMOTO, Y.
SELLNER, W. and GEBHART, W. The B lymphocyte carcinoma cross-reacting antigen (BLCa) is expressed on human epidermal langerhans cells (Abstract), 193
SEO, K.I. *see* CHO, K.H.
SEPULVEDA, P. *see* ENRIQUEZ DE SALAMANCA, R.
SERRE, G. *see* HAFTEK, M.
SETOYAMA, M. *see* YOTSUMOTO, S.
SHALL, L. *see* SCERRI, L.
SHANKLAND, G.S. *see* ALJABRE, S.H.M.
SHARPE, G.R. *see* BHATE, S.M.
SHIBUYA, M. *see* ITO, K.
SHIMIZU, H., HANEDA, T., EADY, R.A.J. and NISHIKAWA, T. The application of a colour image analyser for gold labelling in immunoelectron microscopy to achieve enhanced colourful demonstration and quantitative analysis of small gold probes (Abstract), 178
SHIMIZU, H. *see* AKIYAMA, M.
SHIMIZU, H. *see* ISHIKO, A.
SHIMIZU, N. *see* ITO, K.
SHIMOYAMA, K. *see* NAGATANI, T.
SHUSTER, S. *see* BHATE, S.M.
SIMPSON, N.B. *see* RADEMAKER, M.
SKAMPER, M. *see* KIRCHESCH, H.
SKODA, G. *see* KIRCHESCH, H.
SMITH, N.P *see* MAYER, R.D.
SOBER, A.J. *see* CRIJNS, M.B.
SOEHNCHEN, R. *see* KÁRPÁTI, S.
SOLA CASAS, M.A., SOTO DE DELAS, J., REDONDO BELLÓN, P. and QUINTANILLA, E. Syringomas localized to the penis (case report), 384
SOTO DE DELAS, J. *see* SOLA CASAS, M.A.
SPADARO, G. *see* GENOVESE, A.
SPEIGHT, E.L., MILNE, D.S. and LAWRENCE, C.M. Secondary localized cutaneous amyloid in Bowen's disease, 286
SPENCER, M.-J., TIDMAN, M.J., MCVITTIE, E., VESTEY, J.P and HUNTER, J.A.A. The influence of ultraviolet-B radiation on

MHC class II-positive Langerhans cells in normal human skin (Abstract), 183
SQUIQUERA, H.L. *see* GALIMBERTI, R.L.
STAINFORTH, J., GOODFIELD, M.J.D. and TAYLOR, P.V. Pregnancy-induced chilblain lupus erythematosus, 449
STEFANATO, C.M., YOUSSEF, E.A.H., CERIO, R., KOBZA-BLACK, A. and GREAVES, M.W. Atypical Nekam's disease—keratosis lichenoides chronica associated with porokeratotic histology and amyloidosis, 274
STEPHENS, M. *see* OFFORI, T.W.
STERRY, W. *see* BRASCH, J.
STETTENDORF, S. *see* GALIMBERTI, R.L.
STEVENS, H. *see* OSTLERE, L.S.
STOLZ, W. *see* KÁRPÁTI, S.
STOLZ, W. *see* KORTING, H.C.
STOLZ, W., LANDTHALER, M. and BRAUN-FALCO, O. Characteristic ultrastructural pattern of melanosomal distribution in penile lentigo (Abstract), 183
STRATIGOS, J. *see* KATSAMBAS, A.
STUBBINGS, J.M. and GOODFIELD, M.J.D. An unusual distribution of an acneiform rash due to herpes zoster infection, 92
STURGESS, R., KONTAKOU, M., NELUFER, J., HUNG, T. and CICLITIRA, P.J. γ/δ T-cell receptor expression in the jejeunal epithelium of patients with dermatitis herpetiformis and coeliac disease, 318
SU, D.W.P *see* ITIN, P.
SUETAKE, T. *see* KATO, T.
SUGIYAMA, S. and TAKAHASHI, M. Organization change in actin pool of dermal fibroblasts of mice during cell differentiation (Abstract), 193
SUGIURA, M. *see* AKIYAMA, M.
SUGIYAMA, Y. *see* KATO, T.
SUH, D.H. *see* CHO, K.H.
SUSTER, S. *see* RONNEN, M.
SUZUKI, H. *see* KAKINUMA, H.
SUZUKI, H. *see* IWASAWA, U.
SUZUKI, H. *see* PALUNGWACHIRA, P.
SUZUKI, H. *see* SATO, R.
SUZUMORI, K. *see* AKIYAMA, M.
SWANN, A. *see* HANDLEY, J.M.
SZABÓ, G. *see* TÖRÖK, L.

TADA, J., YOSHIOKA, T., UEDA, M. and ARATA, J. Ultrastructural changes and apoB distribution in regressive xanthelasma (Abstract), 183
TAGAMI, H. *see* KATO, T.
TAGAMI, H. *see* KURAMOTO, Y.
TAKAGI, Y. *see* MITSUHASHI, Y.
TAKAHASHI, M. *see* SUGIYAMA, S.
TAKAHASHI, S. *see* MOROHASHI, M.
TAKAHASHI, S. *see* TOYOMOTO, T.
TAKEMATSU, H. *see* KATO, T.
TAMAYO, L. *see* RUIZ-MALDONADO, R.
TAN, C.Y. *see* CARMICHAEL, A.J.
TAN, C.Y. *see* YEE, K.C.
TANAGUCHI, S. *see* KONO, T.
TANEDA, A. *see* IWAHARA, K.
TANITA, Y. *see* KATO, T.
TASHIRO, M. *see* YOTSUMOTO, S.
TAYLOR, P.V. *see* STAINFORTH, J.
TAZAWA, T. *see* ITO, K.
THAMI, G.P *see* KANWAR, A.J.
THIELE, B., TRONNIER, M., NEU-VILIK, G., NIENSTEDT, K. and WOLFF, H.H. Morphometric findings in clear cell syringoma using confocal laser scanning microscopy (Abstract), 184
THIRUMOORTHY, T. *see* CLEMENT, M.
THIVOLET, J. *see* HAFTEK,M.
THOMPSON, A.J. *see* LESLIE, T.A.
THOMPSON, R.P.H. *see* JUDGE, M.R.
THOMSON, H.K. *see* KARLSMARK, T.
THRANE, H. *see* KOBAYASHI, T.
TIDMAN, M.J. *see* MCHENRY, P.M.
TIDMAN, M.J. *see* SPENCE-, M.-J.
TODD, D.J. *see* MCELHENNY, B.E.
TOGASHI, K. *see* ITO, K.
TOMITA, Y. *see* KATO, T.
TOONSTRA, J., VAN DER PUTTE, S.C.J., BAART DE LA FAILLE, H. and VAN VLOTEN, W.A. Familial Jessner's lymphocytic infiltration of the skin occurring in a father and daughter, 142
TÖRÖK, L., BORKA, I. and SZABÓ, G. Waldenström's macroglobulinaemia presenting with cold urticaria and cold purpura, 277
TORRESANI, C., FERRARI, C., BOLOGNA, G., SANTINI, R., MANARA, G.C. and DE PANFILIS, G. Pre-embedding immunogold electron microscopy technique for the detection of intracellular antigens of saponin-treated suspended human epidermal cells (Abstract), 193
TOSCANO, R. *see* ZARCO, C.
TOYOMOTO, T. *see* MOROHASHI, M.
TOYOMOTO, T., HARUKI, T., TAKAHASHI, S. and MOROHASHI, M. Electron findings of adenosquamous carcinoma of the skin (Abstract), 194
TRONNIER, M. *see* THIELE, B.
TRONNIER, M., WINZER, M. and WOLFF, H.H. Electron microscopic investigation of a cutaneous metastasis from follicular thyroid carcinoma (Abstract), 185
TSUDA, S., MIYASATO, M., NAKAMA, T., KATO, K. and SASAI, Y. An ultrastructural study of eosinophil phenotypes in bullous pemphigoid (Abstract), 194
TSUJI, J. *see* IWAHARA, K.
TSUYAMA, S. *see* YOTSUMOTO, S.
TURNER, M. *see* VESTEY, J.

UEDA, M. *see* TADA, J.
UERLICH, M. *see* BIWER, E.
UERLICH, M., WIMHEUER, R., BIWER, E., REINHOLD, U. and KREYSEL, H.W. Histiocytosis X (Langerhans cell histiocytosis) (Abstract), 180
UMEBAYASHI, Y. *see* OTSUKA, F.

VAN DER PUTTE, S.C.J. *see* TOONSTRA, J.
VAN DER RAAIJ-HELMER, E.M. *see* DE HAAN, P.
VAN VLOTEN, W.A. *see* TOONSTRA, J.
VANACLOCHA-SEBASTIAN, F. *see* LLAMAS-MARTIN, R.
VARDY, D.A., FRANKENBURG, S., GOLDENHERSH, M., LEIBOVICI, V. and KLAUS, S.N. Unusually extensive disease caused by *Leishmania major* parasites, 36
VÁZQUEZ-DOVAL, FCO.J., RUIZ DE ERENCHUN, F., PARAMO, J.A. and QUINTANILLA, J.A. Malignant atrophic papulosis. A report of two cases with altered fibrinolysis and platelet function, 441
VELASCO, J.A. *see* YAÑEZ, S.
VELEZ, A. *see* DEL-RÍO, E.
VENNING, V.A., WOJNAROWSKA, F. and CEDERHOLM-WILLIAMS, S. An immunohistochemical study of the distribution of plasminogen and plasminogen activators in bullous pemphigoid, 119
VERBOV, J.L. *see* FRANKS, A.
VERBOV, J.L. *see* RHODES, L.E.
VERDER, H. *see* KOBAYASHI, T.
VERMEER, B.J. *see* NOZ, K.C.
VESTEY, J., TURNER, M., BIDDLESTONE, L., GOULDEN, N. and HUNTER, J.A.A. Disseminated cutaneous granulomatous eruptions associated with myelodysplastic syndrome and acute myeloid leukaemia, 559

VESTEY, J.P *see* PELTZ, S.
VESTEY, J.P *see* SPENCER, M.-J.
VICKERS, C.F.H. *see* BARNES, R.M.R.
VILLADA, G. *see* PROST, C.
VINCENT, C. *see* HAFTEK, M.
VIRABEN, R. *see* BAZEX, J.
VISSER, A.J. and HEYL, T. Skin tuberculosis as seen at Ga-Rankuwa Hospital, 507
VLACHOU, M. *see* KATSAMBAS, A.

WALKER, A.E. *see* MCDONAGH, A.J.G.
WANG, BAO-ZHEN *see* WU YI-SHU
WATSON, P.J. *see* GOODYEAR, H.M.
WECHSLER, J. *see* PROST, C.
WEIDENTHALER, B. *see* GÜNZEL, S.
WEIHE, E. *see* HARTSCHUH, W.
WILKINSON, S.M., HEAGERTY, A.H.M. and ENGLISH, J.S.C. Acute febrile neutrophilic dermatosis in association with erythema nodosum and sarcoidosis, 47
WILLIAMS, B.J., ROTH, D.J. and CALLEN, J.P. Ultraviolet recall associated with etoposide and cyclophosphamide therapy, 452
WILSON, C.L., WOJNAROWAKA, F., DEAN, D. and PASRICHA, J.S. IgG subclasses in pemphigus in Indian and UK populations, 226
WIMHEUER, R. *see* BIWER, E.
WIMHEUER, R. *see* UERLICH, M.
WIMHEUER, R., BIWER, E., UERLICH, M., NIEDECKEN, H.W. and KREYSEL, H.W. Monocytic cutaneous infiltrates preceding acute monocytic leukaemia (Abstract), 180
WINKLER, K. *see* HOFFMANN, K.
WINZER, M. *see* TRONNIER, M.
WOJNAROWAKA, F. *see* WILSON, C.L.
WOJNAROWSKA, F. *see* RIORDAN, C.A.
WOJNAROWSKA, F. *see* VENNING, V.A.
WOLF, B., BLADT, U. and MOLL, I. Merkel cells in acute and chronic dermatoses (Abstract), 185
WOLFF, H.H. *see* THIELE, B.
WOLFF, H.H. *see* TRONNIER, M.
WOLFF, K. *see* LANGER, K.
WOLTER, M. *see* INNOCENZI, D.
WONG, C.K. *see* LO, W.L.
WOOD, E.J. *see* HARRIS, I.R.
WU YI-SHU, ZHANG WEI-FEN, FENG FANG-PO, WANG BAO-ZHEN and ZHANG YUAN-JIN, Atypical cutaneous lesions of Lyme disease, 434

YAMAMOTO, A. *see* EADY, R.A.J.
YAMAMOTO, A. *see* ITO, K.
YAMAMOTO, O. *see* NIIZUMA, K.
YANAGIHARA, M. *see* HINO, H.
YANAGIHARA, M. *see* NAMBA, T.
YANAGIHARA, M. *see* YONEDA, K.
YANAGIHARA, M., NANBA, T., YONEDA, K., MORI, S., MIZUTA, K. and MIYATA, H. Lipoid proteinosis: an ultrastructural study of anti-elastin and anti-amyloid P-component antibody positive substance in the hyaline material (Abstract), 194
YAÑEZ, S., VELASCO, J.A. and GONZALEZ, M.P. Familial erythromelanosis follicularis faciei et colli—an autosomal recessive mode of inheritance, 283
YASHIMA, Y. *see* IMAYAMA, S.
YATES, P. and JONES, S. Heparin skin necrosis—an important indicator of potentially fatal heparin hypersensitivity, 138
YEE, K.C., BOWKER, C.M., TAN, C.Y. and PALMER, R.G. Cardiac and systemic complications in multicentric reticulohistiocytosis, 555
YEO, U.C. *see* YOUN, J.I.
YONEDA, K. *see* NAMBA, T.
YONEDA, K. *see* YANAGIHARA, M.
YONEDA, K., YANAGIHARA, M. and MORI, S. The origin of luminal cells in the human eccrine sweat ducts (Abstract), 184
YOSHIDA, T. *see* FURUYA, K.
YOSHIOKA, T. *see* TADA, J.
YOTSUMOTO, S., SETOYAMA, M., TSUYAMA, S., TASHIRO, M. and MURATA, F. Ultracytochemistry of glycoconjugates in human sweat glands (Abstract), 194
YOUN, J.I., LEE, H.G., YEO, U.C. and LEE, Y.S. Piroxicam photosensitivity associated with vesicular hand dermatitis, 52
YOUNG, I. *see* MCELHENNY, B.E.
YOUSSEF, E.A.H. *see* STEFANATO, C.M.

ZAKI, I. *see* SCERRI, L.
ZARCO, C. *see* ORTIS-FRUTOS, F.J.
ZARCO, C., LAHUERTA-PALACIOS, J.J., BORREGO, L., TOSCANO, R., GIL, R. and IGLESIAS, L. Centroblastic transformation of chronic lymphocytic leukaemia with primary skin involvement—cutaneous presentation of Richter's syndrome, 263
ZHANG WEI-FEN *see* WU YI-SHU
ZHANG YUAN-JIN *see* WU YI-SHU
ZIP, C.M., ROSS, J.B., GREAVES, M.W., SCRIVER, C.R., MITCHELL, J.J. and ZOAR, S. Familial cold urticaria, 338
ZOAR, S. *see* ZIP, C.M.
ZONZITS, E., HORNICK, U. and KONRAD, K. Multiple glomangiomas: ultrastructural and immunoelectron findings (Abstract), 195
ZUCCHI, A. *see* BENOLDI, D.